

The Influence of Curtain Wall Systems on Building Aesthetics and Architectural Expression

Adofikwu Favour¹; Williams A. Idakwoji²; Beatrice Owoicho Chapi³

Department of Architecture,
Faculty of Architecture, Bingham
University Karu, Nasarawa State.
Corresponding author: Adofikwu Favour

favouradofikwu@yahoo.com
idakwoji.williams@binghamuni.edu.ng
Owoicho-chapi.beatrice@binghamuni.edu.ng

Department of Architecture,
Faculty of Architecture,
Bingham University, Karu, Nigeria
<https://doi.org/10.56201/ijemt.vol.12.no9.2026.pg235.245>

Abstract

Curtain wall systems have become one of the most recognizable features of contemporary architecture, transforming the visual relationship between buildings, occupants, and the surrounding environment. Although curtain walls are primarily non-load-bearing enclosure systems, their increasing application has extended their role beyond environmental protection and structural enclosure to include architectural expression, visual identity, transparency, material articulation, and aesthetic communication. This article examines the use of curtain walls as aesthetic instruments in contemporary building design. Using a qualitative desk-based review and comparative case-study approach, the study examines the historical development of curtain walls, their principal visual characteristics, and the ways in which different curtain wall configurations contribute to building aesthetics. Selected buildings, including the Seagram Building, Apple Park, and Burj Khalifa, are reviewed to demonstrate how transparency, reflection, modular repetition, geometric composition, material selection, and façade detailing influence architectural expression. The findings indicate that the aesthetic effectiveness of curtain walls depends not merely on the *quality* and quantity of the building material(s) used but on the careful integration of proportion, framing, transparency, opacity, solar-control devices, materiality, and contextual considerations. While curtain walls can produce visual lightness, technological expression, and strong architectural identity, their indiscriminate use may contribute to façade homogenization, excessive reflectivity, visual discomfort, and the loss of local architectural character. Recent research further demonstrates that the contemporary curtain wall is increasingly expected to reconcile visual quality with daylighting, thermal comfort, energy efficiency, and environmental performance. The article concludes that curtain walls should be understood as active compositional instruments rather than neutral building skins. Architects should therefore adopt context-responsive and performance-informed approaches that allow aesthetic ambition to coexist with environmental responsibility.

Keywords: *Curtain wall; building aesthetics; façade design; architectural expression; visual identity; glass façade; contemporary architecture.*

1.0 Introduction

The external envelope of a building plays a fundamental role in determining how architecture is perceived. Before occupants experience the internal organization of a building, they encounter its façade as a visual interface between the building and the city. The façade communicates scale, function, materiality, technological character, and architectural identity. In contemporary architecture, curtain wall systems have become particularly important in this process because of their ability to create continuous surfaces, extensive transparency, reflective effects, and highly controlled geometric compositions. A curtain wall is generally understood as a non-load-bearing external wall system that is attached to a building's primary structural frame. It carries its own weight and transfers environmental actions, such as wind loads, to the structural system without functioning as the principal gravity-load-bearing component of the building. Contemporary systems commonly employ combinations of glass, aluminium, steel, stone, composite panels, and other lightweight materials (Rastbod et al., 2026). The development of industrial materials and façade engineering significantly expanded the architectural possibilities of curtain walls, allowing the building envelope to become lighter, more transparent, and visually independent of conventional masonry construction. The importance of curtain walls in modern and contemporary architecture is closely connected to the architectural pursuit of transparency and visual lightness. Glass allows buildings to establish visual relationships between interior and exterior spaces, while metallic framing systems provide opportunities for precision, repetition, rhythm, and modularity. During the twentieth century, the curtain wall became associated with technological progress, corporate architecture, and modern architectural expression. It subsequently developed into a highly versatile façade system capable of supporting different formal and visual intentions.

However, the architectural significance of curtain walls extends beyond the use of glass alone. Their aesthetic contribution is influenced by the arrangement of mullions and transoms, the proportion of transparent and opaque areas, glazing colour, reflectivity, surface treatment, panel geometry, depth, shading devices, and the relationship between the façade and the overall form of the building. Recent research on glass façade systems similarly emphasizes that contemporary façades simultaneously affect architectural composition, visual communication, and environmental performance (Lipowicz-Budzyńska, 2026). Therefore, the visual success of a curtain wall cannot be separated entirely from its technical and environmental design.

Despite their widespread use, curtain walls have also generated criticism. The extensive replication of glass façades across different geographical and cultural contexts has contributed in some instances to visual uniformity and façade homogenization. Contemporary scholarship has specifically identified the potential for widespread curtain-wall application to produce aesthetic uniformity and weaken regional or cultural expression when façade design is treated as a generic technological solution rather than a context-sensitive architectural composition (Zhang et al., 2025). Highly reflective façades may also create glare and visual discomfort in surrounding urban environments if their geometry and material properties are not adequately considered.

This article therefore investigates curtain walls principally from an aesthetic perspective while recognizing that contemporary façade design must reconcile appearance with environmental performance. The study examines how curtain walls contribute to architectural expression and

visual identity and identifies the principal design variables that determine their aesthetic effectiveness.

2.0 Aim and Objectives

2.1 Aim

The aim of the study is to examine the ways in which different curtain wall configurations contribute to architectural expression

2.2 Objectives

The objectives are to:

- i. identify the principal aesthetic characteristics of curtain wall façades;
- ii. examine selected buildings in which curtain walls significantly influence architectural expression;
- iii. analyze how transparency, reflection, proportion, materiality, rhythm, and geometric composition contribute to architectural expression;
- iv. propose design principles for the context-responsive aesthetic application of curtain walls.

3.0 Concept and Evolution of Curtain Walls

The curtain wall represents a significant transformation in the historical relationship between structure and enclosure. Traditional buildings commonly relied on walls that simultaneously performed structural and environmental functions. Technological developments in steel and reinforced concrete frames, however, made it possible to separate the primary structural system from the external enclosure. This separation allowed façades to become lighter and opened new possibilities for large areas of glazing. The development of the curtain wall was strongly associated with industrialization and the emergence of modern architecture. Improvements in glass manufacturing, metal production, structural engineering, and prefabrication enabled architects to develop façades that were increasingly independent of the building's structural mass. The resulting architecture challenged the visual heaviness of traditional masonry buildings and promoted transparency, horizontality, verticality, and precision. In its contemporary form, the curtain wall is generally designed as a lightweight envelope attached to the structural frame. Stick-built and unitized systems are among the most widely used forms. Stick systems are assembled from individual vertical and horizontal framing components, whereas unitized systems are fabricated as larger modules and installed as prefabricated façade units. The choice between these systems has implications not only for construction but also for visual composition because framing dimensions, joint patterns, module sizes, and panel repetition become part of the architectural language of the building (Rastbod et al., 2026). The evolution of curtain walls has also moved beyond the conventional image of a simple transparent glass box. Recent developments include double-skin façades, fritted and printed glazing, photovoltaic integration, electrochromic glass, integrated shading devices, adaptive systems, and geometrically complex unitized panels. These developments demonstrate that contemporary curtain walls can act simultaneously as environmental regulators and expressive architectural surfaces. Curtain-wall research increasingly frames the façade as a multifunctional interface rather than simply an aesthetic enclosure (Rastbod et al., 2026).

4.0 Curtain Walls and Building Aesthetics

4.1 Transparency and Visual Openness

Transparency is one of the most significant aesthetic qualities associated with curtain walls. Large glazed surfaces can reduce the visual separation between interior and exterior environments and create the impression that a building is open, light, and less physically massive. The degree of transparency, however, is not constant. It changes according to daylight conditions, interior illumination, viewing angle, glazing type, and reflectivity.

During the day, transparent façades can visually connect occupants with the external environment, while at night the illuminated interior may transform the building into a visible urban object. This changing relationship contributes to the dynamic aesthetic character of glass architecture. Transparency may therefore be understood as both a physical property and a compositional strategy. However, complete transparency is not necessarily synonymous with good architecture. Excessive glazing may reduce visual hierarchy, create glare, or weaken the distinction between important and secondary building elements. A more successful composition often emerges from the controlled relationship between transparent, translucent, and opaque components.

4.2 Reflection and Changing Visual Appearance

Curtain walls can transform the surrounding environment into part of the building's visual composition through reflection. Depending on the type of glazing, the façade may reflect the sky, vegetation, neighbouring buildings, or changing weather conditions. Consequently, the visual appearance of the building can change throughout the day. Reflection can make a large building appear lighter by visually dissolving parts of its mass into the surrounding environment. At the same time, reflective surfaces can reinforce the building's presence by producing strong contrast and visual distinction. The aesthetic benefits of reflection must nevertheless be balanced with environmental consequences. Recent research has identified reflected solar glare from highly reflective building façades as a significant design concern, particularly in dense urban environments where reflected sunlight may affect pedestrians, neighbouring buildings, and public spaces. Therefore, reflectivity should be considered as a deliberate design variable rather than simply a decorative feature.

4.3 Rhythm, Repetition and Proportion

The visible grid of a curtain wall can establish rhythm across a building façade. Repeated mullions, transoms, panels, and structural modules create order and visual continuity. The spacing of these elements influences whether a façade appears vertical, horizontal, dense, delicate, monumental, or lightweight. A narrow vertical module, for example, can emphasize height, making a tall building appear slenderer. Wider horizontal divisions can reinforce breadth and continuity. The aesthetic effect of a curtain wall is therefore strongly influenced by proportion. Where repetitive modules are carefully coordinated with the building's structure and overall geometry, the façade can achieve a coherent visual language. Conversely, poorly coordinated grids can produce visual fragmentation. The framing system should consequently be considered part of the architectural composition rather than hidden technical infrastructure.

4.4 Materiality and Surface Expression

Although glass is the material most strongly associated with curtain walls, contemporary systems can combine different materials to create varied aesthetic effects. Aluminium frames may

communicate precision and technological refinement, while stone or metal spandrel panels can introduce visual solidity. Ceramic elements, perforated panels, louvers, and printed glass can also modify the character of a curtain wall. Recent architectural research has explored alternative material expressions partly as a response to the visual homogenization associated with conventional glass curtain walls. The integration of culturally meaningful materials and geometric compositions has been proposed as a means of combining contemporary façade technology with stronger local visual identity (Zhang et al., 2025).

4.5 Light, Shadow and Façade Depth

The aesthetic character of a curtain wall is not determined solely by its surface. Depth is equally important. Recessed glazing, projecting fins, deep mullions, louvers, and external shading devices create shadow and visual texture. A completely flat glass surface may appear elegant and minimal, while a deeply articulated façade can produce greater visual complexity. The relationship between light and shadow also changes over time, giving the building a dynamic appearance. Consequently, solar-control devices should not automatically be considered additions that reduce aesthetic quality. When properly integrated, they can become important compositional elements.

5.0 Major Curtain Wall Systems and Their Aesthetic Characteristics

Curtain Wall System	General Characteristics	Principal Aesthetic Potential	Common Limitation
Stick-built system	Individual mullions, transoms and panels assembled on site	Flexible grid arrangement and detailed visual control	Greater dependence on site workmanship
Unitized system	Large prefabricated façade modules	Clean repetition, precision and large-scale uniformity	Module joints may strongly determine the visual pattern
Semi-unitized system	Combination of site-installed framing and prefabricated units	Balance between modularity and design flexibility	More complex coordination
Point-supported glazing	Glass supported by fittings or cables rather than conventional heavy framing	Maximum transparency and visual lightness	Can present performance and maintenance challenges
Double-skin curtain wall	Multiple glazed layers with an intermediate cavity	Depth, layered transparency and technological expression	Greater construction complexity and cost
Adaptive or smart curtain wall	Integrates responsive glazing, shading or other technologies	Dynamic visual identity and changing façade appearance	Higher cost and technical complexity

Source: Author's synthesis based on Rastbod et al. (2026), Sergidis and Phocas (2025), and recent curtain-wall literature.

The table demonstrates that aesthetic outcomes are partly determined by the structural and construction logic of the façade system. A curtain wall should therefore not be selected only after

the architectural firm has been determined. The technical system itself influences the visual language available to the architect.

6.0 Factors Influencing the Aesthetic Application of Curtain Walls

6.1 Building Function

The visual language of a curtain wall should respond to building function. Corporate offices may employ highly ordered modular façades to communicate precision and institutional identity. Commercial buildings may emphasize transparency and visual accessibility, while cultural buildings may use complex glazing and façade patterns to create symbolic identity.

6.2 Building Scale and Proportion

Curtain-wall detailing that is visually successful on a low-rise building may appear monotonous when repeated across a large tower. Façade composition should therefore respond to scale. Large buildings may require changes in rhythm, setbacks, material variation, or articulation to prevent excessive visual repetition.

6.3 Climate and Environmental Conditions

Aesthetic decisions involving glazing percentage, shading, and reflectivity cannot be separated from climate. A façade designed primarily for visual transparency may produce excessive solar heat gain or glare in warm climates. Recent simulation-based research demonstrates the importance of optimizing curtain-wall parameters to balance thermal comfort, daylighting, visual quality, and aesthetics (Liu et al., 2026).

6.4 Context and Surrounding Architecture

The relationship between the curtain wall and its environment is essential. A highly reflective façade may visually integrate with the sky but conflict with a historic urban setting. Likewise, a generic international glass façade may weaken local identity if it ignores climate, material traditions, and cultural context.

6.5 Technology and Construction Quality

Poorly aligned mullions, inconsistent joints, damaged glazing, and visible installation defects can significantly undermine architectural quality. Therefore, aesthetic success depends not only on conceptual design but also on fabrication accuracy and construction quality.

7.0 Comparative Case Studies

7.1 Seagram Building, New York

The Seagram Building represents an important reference in the development of the modern curtain-wall aesthetic. Its façade composition demonstrates how repetition, proportion, material expression, and structural order can create architectural identity. The building's dark bronze and glass envelope is not visually dependent on transparency alone. Instead, its character emerges from the disciplined repetition of vertical elements and the precise relationship between the façade grid and the overall building proportions. A key aesthetic lesson from the Seagram Building is that curtain walls can express order and rhythm. The façade operates as a coherent composition rather than simply a technical enclosure. Its influence can be observed in later commercial architecture, where modular repetition became a defining characteristic of office towers.

7.2 Apple Park, Cupertino

Apple Park demonstrates a contemporary approach to curtain-wall design in which extensive glazing contributes to both visual openness and architectural identity. The building employs large curved glass elements that reduce visual barriers between interior spaces and the surrounding landscape. The curtain wall contributes to the architectural objective of continuity between the building, landscape, and user experience. The visual impact of the façade is strengthened by its scale and precision. Rather than functioning as a conventional repetitive grid, the glazing contributes to a continuous and carefully controlled architectural expression. Recent review literature has identified Apple Park as an example of the contemporary development of curtain walls toward multifunctional and high-performance building envelopes (Rastbod et al., 2026). The principal aesthetic contribution of the façade lies in its ability to reduce the perceived boundary between the interior and exterior. However, the case also illustrates the high level of technological coordination required when aesthetic simplicity is pursued through large and highly specialized façade components.

7.3 Burj Khalifa, Dubai

The Burj Khalifa illustrates the use of a curtain-wall system as part of the visual expression of verticality and monumentality. At the scale of a supertall building, the façade must contribute to the perception of height while responding to changing geometry and environmental conditions. The building demonstrates how repeated glazing and metal components can create continuity across a highly complex form. The curtain wall is therefore not simply a uniform surface applied to a tower. Its composition supports the architectural reading of the building's vertical movement and stepped geometry. The case further demonstrates that the aesthetics of curtain walls in tall buildings are closely related to scale, modular coordination, and environmental performance. Contemporary review research similarly identifies the building as an example of the relationship between façade technology, architectural expression, and high-rise performance requirements (Rastbod et al., 2026).

8.0 Comparative Analysis of the Case Studies

Building	Dominant Aesthetic Strategy	Curtain Wall Contribution	Key Architectural Lesson
Seagram Building	Order, proportion and repetition	Establishes a disciplined vertical rhythm and refined material expression	A curtain-wall grid can become the principal architectural language
Apple Park	Transparency and visual continuity	Reduces perceived boundaries between architecture and landscape	Large-scale glazing can support spatial openness and architectural identity
Burj Khalifa	Verticality and monumentality	Reinforces scale, repetition and the reading of the tower's geometry	Curtain walls can support the visual expression of complex high-rise forms

Source: Author's analysis.

The case studies indicate that curtain walls do not produce a single aesthetic outcome. The same general technology can be used to express discipline, openness, monumentality, technological

sophistication, or visual continuity. The critical factor is therefore the relationship between the façade system and the larger architectural concept.

9.0 Challenges and Limitations

Although curtain walls provide significant aesthetic opportunities, several challenges must be addressed. First, excessive dependence on glass can lead to façade homogenization. When similar curtain-wall systems are applied without sufficient adaptation to climate, culture, and context, buildings in different locations may acquire similar visual identities. This weakens the capacity of architecture to respond meaningfully to place. Second, visual quality may conflict with environmental performance. Extensive glazing may be desirable for transparency and daylight but can increase solar heat gain and cooling demands when poorly designed. Recent research on subtropical office buildings demonstrates that shading and appropriate window-to-wall ratios are important in achieving a balance between comfort, visual performance, and aesthetics (Liu et al., 2026). Third, reflective surfaces may generate unwanted glare. A façade designed to create striking visual reflections may negatively affect its surroundings if solar reflection is not evaluated.

Fourth, curtain walls may involve significant initial costs, maintenance requirements, and embodied environmental impacts. Recent life-cycle research has also highlighted the importance of considering carbon implications during early curtain-wall design decisions rather than treating the façade solely as an aesthetic choice (Integrated BIM–LCA–Optimization for Decarbonizing Curtain Wall Façades Under Carbon Pricing Uncertainty, 2026).

Finally, aesthetic quality depends heavily on detailing and execution. Curtain-wall architecture often relies on precision. Minor inconsistencies in alignment, sealant application, joints, and panel installation can become highly visible because the façade is designed as a continuous visual surface.

10.0 Discussion

The review demonstrates that curtain walls have become important instruments of architectural expression because they allow architects to manipulate transparency, reflection, rhythm, proportion, materiality, and visual continuity. Their aesthetic value does not arise automatically from the use of glass. Rather, it results from the composition and integration of multiple design variables. The findings also suggest that contemporary curtain-wall design is moving away from the assumption that aesthetics and performance are independent concerns. Recent scholarship increasingly investigates façade design through combined considerations of daylighting, thermal comfort, energy efficiency, visual perception, and architectural composition (Rastbod et al., 2026; Lipowicz-Budzyńska, 2026). This development is particularly important because the visual appearance of a façade is directly influenced by many of the same decisions that determine environmental performance. For example, shading devices may modify the visual rhythm of a building while simultaneously reducing solar exposure. Printed glass may function as a graphic element while controlling daylight. Façade depth may create shadow and visual texture while improving solar protection. Adaptive technologies may allow buildings to change their visual appearance in response to environmental conditions.

The relationship between curtain walls and aesthetics should therefore be understood through an integrated design framework. A visually successful curtain wall should satisfy three interconnected dimensions:

1. **Compositional quality** – involving proportion, rhythm, scale, materiality, colour,

transparency, and visual hierarchy;

2. **Contextual quality** – involving climate, urban character, culture, orientation, and the surrounding environment; and

3. **Performance quality** – involving thermal behaviour, daylight, glare control, durability, maintenance, and life-cycle considerations.

Where these dimensions are integrated, curtain walls can provide both architectural identity and improved building performance. Where aesthetics dominates without sufficient technical or contextual consideration, the same façade can create energy, comfort, environmental, and visual problems.

11.0 Design Principles for the Aesthetic Use of Curtain Walls

Based on the review and case-study analysis, the following principles are proposed:

11.1 Treat the Façade as a Compositional System

Mullions, transoms, panels, spandrels, joints, and shading devices should be coordinated as parts of a single architectural composition.

11.2 Balance Transparency and Opacity

The entire building does not need to be fully glazed. A controlled relationship between transparent and opaque areas can create greater visual hierarchy while improving environmental performance.

11.3 Use Shading as an Architectural Element

Louvers, fins, screens, and other solar-control devices should be integrated into the design concept rather than added as technical afterthoughts.

11.4 Respond to Context

Curtain-wall materials, reflectivity, colour, and geometry should respond to local climate, surrounding buildings, and cultural character.

11.5 Control Reflectivity

Solar reflection and glare should be assessed during the design process, particularly for highly reflective façades and complex geometries.

11.6 Consider Human Perception

Façade aesthetics should consider how buildings are perceived at different distances and by different users. Contemporary façade-perception research emphasizes that visual judgement combines measurable physical characteristics with human cognitive and perceptual responses (Beyond the Human Eye, 2026).

11.7 Integrate Performance Early

Glazing selection, shading, frame design, and window-to-wall ratios should be evaluated during the conceptual stage so that environmental requirements contribute to, rather than compromise, the intended architectural expression.

12.0 Conclusion

Curtain walls have evolved into major instruments of contemporary architectural expression. Their importance extends beyond their role as lightweight, non-load-bearing enclosures because they influence how buildings communicate transparency, technological advancement, order, lightness, rhythm, materiality, and visual identity. The article has shown that the aesthetic effectiveness of curtain walls is determined by the interaction of transparency, reflection, proportion, framing, surface treatment, material selection, depth, and environmental response. The case studies of the Seagram Building, Apple Park, and Burj Khalifa demonstrate that curtain-wall technology can support significantly different architectural intentions, ranging from disciplined modular order to visual continuity and monumental verticality. However, the findings also indicate that the widespread use of curtain walls presents important challenges. Generic glass façades can contribute to visual homogenization and weaken contextual identity. Excessive glazing may create environmental problems, while highly reflective surfaces may generate glare. Therefore, the architectural value of a curtain wall cannot be judged exclusively by visual appearance.

Contemporary curtain-wall design should adopt an integrated approach in which aesthetics, environmental performance, technology, and context inform one another. The curtain wall should not be treated as a decorative layer applied after the architectural concept has been established. Instead, it should be conceived as an active component of the architectural idea and as a medium through which buildings establish visual and environmental relationships with their surroundings. The study concludes that the future of aesthetically successful curtain-wall architecture lies not in the unrestricted use of glass but in the intelligent and context-responsive manipulation of façade technology. When carefully designed, curtain walls can provide strong visual identity while contributing to more comfortable, environmentally responsive, and architecturally meaningful buildings.

References

- Beyond the human eye: Review of quantitative methods for evaluating facade visual perception. (2026). *Journal of Environmental Psychology*, 112, 103020. <https://doi.org/10.1016/j.jenvp.2026.103020>
- Boafo, F. E., Kim, J.-H., Ahn, J.-G., Kim, S.-M., & Kim, J.-T. (2021). Slim curtain wall spandrel integrated with vacuum insulation panel: A state-of-the-art review and future opportunities. *Journal of Building Engineering*, 42, 102445. <https://doi.org/10.1016/j.jobbe.2021.102445>
- Huang, B., et al. (2017). Seismic demand and experimental evaluation of the nonstructural building curtain wall: A review. *Soil Dynamics and Earthquake Engineering*, 97, 123–141.
- Integrated BIM–LCA–optimization for decarbonizing curtain wall façades under carbon pricing uncertainty. (2026). *Building Research & Information*. <https://doi.org/10.1080/09613218.2026.2653037>
- Kim, G., Lim, H. S., Schaefer, L., & Kim, J. T. (2014). Overall environmental modelling of newly designed curtain wall façade configurations. *Energy and Buildings*, 84, 78–89.
- Lipowicz-Budzyńska, A. (2026). Comparative analysis of glass façade systems: Daylight modulation, architectural composition, and visual communication. *Buildings*, 16(11), 2259. <https://doi.org/10.3390/buildings16112259>
- Liu, X., et al. (2026). Passive design strategies for curtain wall system in subtropical office buildings in China considering multi-sensory comfort. *Energy and Built Environment*. Advance online publication. <https://doi.org/10.1016/j.enbenv.2026.01.001>
- Rastbod, S., Jahangiri, M., Moradi, B., & Nazari, H. (2026). Curtain wall systems as climate-adaptive energy infrastructures: A critical review of their role in sustainable building performance. *Energy Engineering*, 123(1), 2. <https://doi.org/10.32604/ee.2025.070089>
- Sergidis, C., & Phocas, M. C. (2025). Numerical analysis of perforated bending-active plates integrated in unitized curtain wall. *Architecture, Structures and Construction*, 5, Article 40. <https://doi.org/10.1007/s44150-025-00156-0>
- Zhang, et al. (2025). The skin of architecture: Contemporary ceramic design in geometric style. *Journal of Asian Architecture and Building Engineering*. Advance online publication. <https://doi.org/10.1080/13467581.2025.2605858>